

DATA SHEET

Display SL3230T

Issue: October 2009

Advanced Display: 58.4 cm (23-inch) widescreen
Lifestyle design and entertainment features

The Display SL 3230T offers Full HD picture (1080P) for home office and entertainment. With the large size and the two HDMI interfaces the Display SL 3230T is the center to enjoy all PC, gaming and video content. Due to its extremely slim and stylish design, the Display SL 3230T fits perfectly into your home environment.

Full HD resolution 1920 x 1080 for ultimate entertainment experience

Fast response time of 2 ms for gaming, internet, office, multitasking and more



58.4 cm (23-inch) widescreen class display in optimum 16:9 movie format

Highly flexible with 2 x HDMI V1.3 connectors and 1 x S/PDIF out

Energy Star 5.0 compliant: 23 W typical power consumption and power management according to EPA 5.0

Lifetime extender and theme mode for optimized picture

Due to integrated speakers and HDMI cable no further accessories needed



Display SL3230T

Special features

ECO Status LED: 3 colors for 3 modes, Lifetime Extender, Aspect ratio conversion

Stand details

Stand	removable
Tilt angle	+ 5° / - 15°

Picture performance

Contrast - advanced	20,000:1
Response time gray to gray typical	2 ms
Viewing angle (h/v)	170° / 170°
Color performance	16.7 Mio colors (Hi-FRC)
Brightness - typical	280 cd/m ²

Size and resolution

Aspect ratio	16:9
Diagonal Size	58.4 cm (23-inch)
Resolution (native)	1920 x 1080 pixel (recommended)
Resolution (interpolated)	1680 x 1050 pixel, 1440 x 900 pixel, 1280 x 1024 pixel
Video modes	1080i/p, 720i/p, 576i/p, 480i/p
Picture size	509.2 x 285.4 mm
Pixel Pitch	0.266 mm

Frequencies

Horizontal	31 kHz - 83 kHz
Horizontal analog	31 kHz - 83 kHz
Horizontal digital	15 kHz - 82 kHz
Vertical	56 - 76 Hz
Frequencies - bandwidth	225 MHz

Connectivity

Video input	2 x HDMI, 1 x D-SUB
Audio sound output	2 x 1.5 W
Audio signal input	3.5 mm stereo phone jack
Audio signal output	S/PDIF (optical)
HDMI audio	Yes

OSD Languages and setting options

Languages	Czech, Danish, Dutch, English, Finnish, French, German, Hungarian, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish
Brightness / Contrast	Brightness, Contrast
Color	Cold, Warm, Custom Color
Image adjust	Clock, H-Position, V-Position, Expansion
Audio	Mute, Volume
Information	Resolution/mode, Signal input
Mode	General, Movie, Picture, Game

Power consumption (typical, w/o sound)

Soft switch off	0.45 W
Power save mode	0.45 W
Operating with EPA settings	23.5 W
Operating maximum brightness	26 W

Electrical values

Rated voltage range	100 - 240 V
Rated frequency range	50 - 60 Hz
Protection class	1

Compliance

Europe	CE, TCO Displays 5.0
USA/Canada	FCC Class B, cUL
Australia/New Zealand	C-Tick
Russia	GOST
Saudi Arabia	SASO
Global	ENERGY STAR® 5.0, ISO9241-307 (Pixel fault class I), IT-Eco-Declaration, RoHS, WEEE
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Quality and Reliability

MTBF (demonstrated)	50.000 h
---------------------	----------

Dimensions / Weight / Environmental

Dimension without stand (W x D x H)	543.2 x 56.8 x 332.2 mm
Dimension with stand (W x D x H)	543.2 x 214.9 x 412 mm
Weight (packed)	5.8 kg
Weight (unpacked)	4.5 kg
Weight (Monitor only)	4.5 kg
Operating ambient temperature	5 - 35°C

Miscellaneous

VESA DDC/ CI, Standardized mounting interface VESA FP MP MI 100 mm, Kensington lock

Package content

Data cable 1.8m, HDMI (19-pin), Data cable 1.8m, D-SUB (15-pin), Audio cable 1.8m, Power cable for wall socket (Euro-Schuko-Type CEE7) 1.8m, User manual, Warranty booklet, Quickstart flyer

Order information

Order Code	S26361-K1327-V160
EAN-Nr.	4049699094958

Information about environmental care, policies, programs and our Environmental Guideline FSC 03230:

<http://ts.fujitsu.com/aboutus>

Take back and Recycling information:

<http://ts.fujitsu.com/recycling>

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Published by Fujitsu Technology Solutions <http://ts.fujitsu.com>
Copyright © Fujitsu Technology Solutions October 2009